

<b>Technical Data</b>		<b>Audi A5 Coupé 35 TFSI S tronic (110 kW)</b>
<b>Program for Germany</b>	Status: 08/31/2021	
<b>Engine / electrics</b>		
Engine type	Inline 4-cylinder engine	
Valve gear / number of valves per cylinder	Roller cam follower, continuous intake and exhaust camshaft adjustment, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder	
Displacement in cc / bore x stroke in mm / compression	1984 / 82.5 x 92.8 / 12.2	
Max. power output in kW (PS) / rpm	110 (150) / 4000 - 6000	
Max. torque in Nm ( <i>lb-ft</i> ) / at rpm	270 (199.1) / 1300 - 3850	
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler	
Exhaust emission control	Catalytic converter, oxygen sensor, gasoline particulate filter	
Emissions standard	Euro 6d-ISC-FCM	
Start-stop / Recuperation management	yes / yes	
Battery in A / Ah	380 / 68	
Max. electrical output at 12V in kilowatts	3.1	
On-board voltage 1 in volts	12	
<b>Drivetrain / transmission</b>		
Drive type	Front-wheel drive	
Clutch	Dual clutch	
Transmission type	7-speed S tronic	
Transmission ratio in 1st/2nd gear	3.188 / 2.190	
Transmission ratio in 3rd/4th gear	1.517 / 1.057	
Transmission ratio in 5th/6th gear	0.738 / 0.557	
Transmission ratio in 7th/8th gear	0.433 / -	
Reverse gear ratio / final drive ratio 1-2	2.75 / 4.234	
<b>Suspension / steering / brakes</b>		
Type and design of front-axle suspension	5-link front axle; tubular anti-roll bar	
Type and design of rear-axle suspension	5-link rear axle; tubular anti-roll bar	
Steering	Electromechanical steering with speed-dependent power assistance	
Steering ratio	15.9	
Turning circle in m ( <i>ft</i> )	11.5 (37.7)	
Brake control system	Dual-circuit brake system with black/white split for front/rear axles; ESC/ABS/EBD; brake booster, hydraulic brake assist	
Tires (basic)	225/50 R 17	
Wheels (basic)	Alloy 7.5 J x 17"	
<b>Performance / acoustics</b>		
Top speed in km/h ( <i>mph</i> )	210 (130.5)	
Limited	yes	
Acceleration, 0-100 km/h (0-62.1 <i>mph</i> )	8.9	
Fuel type / octane value	Gasoline / 95	
Fuel standard	DIN EN 228 (gasoline)	
Exterior noise level when stationary / drive-past as per ECE R51.03 in dB (A)	70.7 / 69	

<b>Consumption / emissions*</b>	
Fuel consumption, urban / extra-urban / combined in l/100 km (US mpg)	7.3 - 7.1 (32.2 - 33.1) / 5.0 - 4.6 (47.0 - 51.1) / 5.8 - 5.5 (40.6 - 42.8)
CO <sub>2</sub> emissions combined in g/km (g/mi)	133 - 125 (214.0 - 201.2)
<b>Servicing / guarantee (Germany)</b>	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	15 / 25 / 25
<b>Weights / loads</b>	
Unladen weight without driver / with driver / gross weight limit in kg (lb)	1475 (3251.8) / 1550 (3417.2) / 1970 (4343.1)
Front/rear axle load limit in kg (lb)	1050 (2314.9) / 1030 (2270.8)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	1700 (3747.9) / 1500 (3306.9) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	75 (165.3) / 80 (176.4)
<b>Capacities</b>	
Cooling system capacity (incl. heating) in l (US gal)	8 (2.1)
Engine oil capacity, including filter (change volume) in l (US qt)	5.2 (5.5)
Fuel tank capacity in l (US gal)	54 (14.3)
<b>Dimensions / body</b>	
Body type / number of doors	Unitary steel/aluminum composite construction / 2
Number of seats	4
Drag coefficient Cd / frontal area A in m <sup>2</sup> (sq ft)	0.26 / 2.14 (23.0)
Standard dimensions (length / width excluding mirrors / height with steel springs / height with air springs) in mm (ft)	4697 (15.4) / 1846 (6.1) / 1371 (4.5) / -
Width including mirrors in mm (ft)	2029 (6.7)
Wheelbase / track width front/rear in mm (ft)	2764 (9.1) / 1587 (5.2) / 1568 (5.1)
Overhang angle of steel springs, front / rear in degrees	12.50 / 12.90
Height of loading edge with steel springs / air springs in mm (ft)	669 (2.2) / -
Luggage capacity behind 2nd seat bench, open / closed in l (cu ft)	- / 450 (15.9)

\*Fuel consumption and CO<sub>2</sub> emission figures given in ranges depend on the tires/wheels used