

# Audi Q2



## 35 TDI quattro S tronic 110 kW

### Engine / electrics

Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	1968 / 81.0 x 95.5 / 16.0
Max. power output in kW (PS) / at rpm	110 (150) / 3000 - 4200
Max. torque in Nm ( <i>lb-ft</i> ) / at rpm	360 (265.5) / 1600 - 2750
Mixture preparation	Common rail fuel injection system, intercooler
Exhaust emission control	Oxidizing catalytic converter, diesel particulate filter, exhaust gas recirculation, SCR catalytic converter
Emission standard	Euro 6d-ISC-FCM
Max. electrical output at 12V in kW	1.6
On-board voltage 1 in volts	12

### Drivetrain / transmission

Drive type	All-wheel drive
Type of center differential	Electronically controlled multi-plate clutch
Type of rear axle differential	Standard
Clutch	2 electrohydraulically controlled multi-plate clutches in an oil bath, dual-mass flywheel
Transmission type	7-speed S tronic
Transmission ratio in 1 <sup>st</sup> /2 <sup>nd</sup> gear	3.579 / 2.750
Transmission ratio in 3 <sup>rd</sup> /4 <sup>th</sup> gear	1.677 / 0.889
Transmission ratio in 5 <sup>th</sup> /6 <sup>th</sup> gear	0.677 / 0.722
Transmission ratio in 7 <sup>th</sup> /8 <sup>th</sup> gear	0.561 / -
Reverse gear ratio / final drive ratio 1-2 / 2-3	2.9 / 4.471 / 3.304

### Suspension / steering / brakes

Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	4-link rear axle
Tires (basic)	205/60 R 16
Wheels (basic)	Alloy 6 J x 16"
Steering	Electromechanical progressive steering with speed-dependent power assistance
Steering ratio	14.1
Turning circle in m ( <i>ft</i> )	11.1 (36.4)
Brake system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist

### Performance / fuel / acoustics

Top speed in km/h ( <i>mph</i> )	210 (130.5)
Acceleration, 0-100 km/h (0-62.1 <i>mph</i> )	8.2
Fuel type / octane value / fuel standard	Diesel / DIN EN 590
Exterior noise level when stationary / drive-past as per ECE R51.03 in dB (A)	76.7 / 68

---

## Consumption / emission\*

Efficiency class	A
Fuel consumption, urban / extra-urban / combined according to NEDC in l/100 km (US mpg)	5.6 - 5.4 (42.0 - 43.6) / 4.4 - 4.1 (53.5 - 57.4) / 4.8 - 4.6 (49.0 - 51.1)
CO <sub>2</sub> emissions, combined according to NEDC in g/km (g/mi)	128 - 122 (206.0 - 196.3)

---

## Servicing / guarantee (Germany)

Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 years
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	16 / 19 / 23

---

## Weights / loads

Unladen weight without driver / with driver / gross weight limit in kg (lb)	1495 (3295.9) / 1570 (3461.3) / 2060 (4541.5)
Front / rear axle load limit in kg (lb)	1105 (2436.1) / 1030 (2270.8)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	1800 (3968.3) / 1800 (3968.3) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	60 (132.3) / 75 (165.3)

---

## Capacities

Cooling system capacity (incl. heating) in l (US gal)	13.2 (3.5)
Engine oil capacity, including filter (change volume) in l (US qt)	5.5 (5.8)
Fuel tank capacity / optional in l (US gal)	55 (14.5) / -
AdBlue fuel tank capacity / optional in l (US gal)	12 (3.2) / -

---

## Dimensions / body

Body type / number of doors / number of seats	Unitary steel / 5 / 5
Drag coefficient C <sub>d</sub> / frontal area A in m <sup>2</sup> (sq ft)	0.32 / 2.29 (24.6)
Standard dimensions (length / width excluding mirrors / height with steel springs / air springs) in mm (ft)	4208 (13.8) / 1794 (5.9) / 1537 (5.0) / -
Vehicle width, including mirrors, in mm (in)	2009 (6.6)
Wheelbase // track width front/rear in mm (ft)	2601 (8.5) // 1546 (5.07) / 1542 (5.06)
Height of loading edge in mm (ft)	740 (2.4)
Open luggage compartment - behind the 2 <sup>nd</sup> seat row in l (cu ft)	355 (12.5)
Largest luggage capacity - behind the 1 <sup>st</sup> seat row in l (cu ft)	1000 (35.3)

\*Fuel consumption and CO<sub>2</sub> emission figures given in ranges depend on the tires/wheels used