

Technical Data		Audi Q3 35 TDI (110 kW)	
Program for Germany		Status: 11/30/2020	
Engine / electrics			
Engine type	Inline 4-cylinder engine		
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation		
Displacement in cc / bore x stroke in mm / compression	1968 / 81 x 95.5 / 16.0		
Max. power output in kW (PS) / rpm	110 (150) / 3250 – 4200		
Max. torque in Nm (<i>lb-ft</i>) / at rpm	340 (250.8) / 1600 – 3000		
Mixture preparation	Common rail fuel injection system, intercooler		
Exhaust emission control	Oxidizing catalytic converter, diesel particulate filter, exhaust gas recirculation, SCR catalytic converter		
Emissions standard	Euro 6d-ISC-FCM		
Start-stop / recuperation management	yes / yes		
Battery in A / Ah	420 / 70		
Max. electrical output at 12V in kilowatts	1.6		
On-board voltage 1 in volts	12		
Drivetrain / transmission			
Drive type	Front-wheel drive		
Clutch	Hydraulically actuated dry clutch, asbestos/lead-free linings, dual-mass flywheel		
Transmission type	6-speed manual transmission		
Transmission ratio in 1st/2nd gear	3.769 / 1.958		
Transmission ratio in 3rd/4th gear	1.257 / 0.87		
Transmission ratio in 5th/6th gear	0.857 / 0.717		
Reverse gear ratio / final drive ratio 1-2 / 2-3	4.55 / 3.944 / 3.087		
Suspension / steering / brakes			
Type and design of front-axle suspension	MacPherson struts, front		
Type and design of rear-axle suspension	4-link rear axle		
Steering	Electromechanical steering with speed-dependent power assistance		
Steering ratio	14.8		
Turning circle in m (<i>ft</i>)	11.8 (38.7)		
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist		
Tires (basic)	215/65 R 17		
Wheels (basic)	Alloy 7 J x 17"		
Performance / acoustics			
Top speed in km/h (<i>mph</i>)	202 (125.5)		
Limited	no		
Acceleration, 0-100 km/h (0-62.1 <i>mph</i>)	9.4		
Fuel type / octane value	Diesel / -		
Fuel standard	DIN EN 590 (diesel)		
Exterior noise level when stationary / drive-past as per ECE R51.03 in dB (A)	69 / 68		

Consumption / emissions*	
Fuel consumption, urban / extra-urban / combined in l/100 km (US mpg)	5.9-5.8 (39.9-40.6) / 4.1-3.8 (57.4-61.9) / 4.8-4.6 (49.0-51.1)
CO ₂ emissions, combined in g/km (g/mi)	125 - 120 (201.2-193.1)
Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	17 / 20 / 21
Weights / loads	
Unladen weight without driver / with driver in kg (lb)	1625 (3582.5) / 1700 (3747.9)
Gross weight limit min. / max. in kg (lb)	2175 (4795.1) / 2220 (4894.3)
Front axle load limit in kg (lb)	1150 (2535.3) / -
Rear axle load limit min. / max. in kg (lb)	1080 (2381.0) / 1150 (2535.3)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	2000 (4409.2) / 2000 (4409.2) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	75 (165.3) / 90 (198.4)
Capacities	
Cooling system capacity (incl. heating) in l (US gal)	12.9 (3.4)
Engine oil capacity, including filter (change volume) in l (US qt)	5.5 (5.8)
Fuel tank capacity in l (US gal)	60 (15.9)
AdBlue fuel tank capacity in l (US gal)	18 (4.8)
Dimensions / body	
Body type / number of doors	Unitary steel / 5
Number of seats	5
Drag coefficient Cd / frontal area A in m ² (sq ft)	0.32 / 2.44 (26.3)
Standard dimensions (length / width excluding mirrors / height with steel springs) in mm (ft)	4485 (14.7) / 1849 (6.1) / 1616 (5.3)
Width including mirrors in mm (ft)	2024 (6.6)
Wheelbase / track width front/rear in mm (ft)	2680 (8.8) / 1584 (5.20) / 1576 (5.17)
Overhang angle of steel springs, front / rear in degrees	18.80 / 16.20
Height of loading edge with steel springs in mm (ft)	748 (2.5)
Open luggage compartment - behind the 2nd seat row in l (cu ft)	530 (18.7)
Largest luggage capacity - behind the 1st seat row in l (cu ft)	1525 (53.9)

*Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used