

Technical Data		Audi Q3 35 TDI quattro S tronic (110 kW)	
Program for Germany		Status: 11/30/2020	
Engine / electrics			
Engine type	Inline 4-cylinder engine		
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder		
Displacement in cc / bore x stroke in mm / compression	1968 / 81.0 x 95.5 / 16.0		
Max. power output in kW (PS) / rpm	110 (150) / 3000 - 4200		
Max. torque in Nm (lb-ft) / at rpm	360 (265.5) / 1600 - 2750		
Mixture preparation	Common rail fuel injection system, intercooler		
Exhaust emission control	NO _x oxidizing catalytic converter, diesel particulate filter, exhaust gas recirculation, SCR catalytic converter		
Emissions standard	EU6		
Start-stop / Recuperation management	yes / yes		
Battery in A / Ah	420 / 70		
Max. electrical output at 12V in kilowatts	1.6		
On-board voltage 1 in volts	12		
Drivetrain / transmission			
Drive type	All-wheel drive		
Type of rear axle differential	Standard		
Clutch	2 electrohydraulically controlled multi-plate clutches in an oil bath		
Transmission type	7-speed S tronic		
Transmission ratio in 1st/2nd gear	3.579 / 2.750		
Transmission ratio in 3rd/4th gear	1.677 / 0.889		
Transmission ratio in 5th/6th gear	0.677 / 0.722		
Transmission ratio in 7th/8th gear	0.561 / -		
Reverse gear ratio / final drive ratio 1-2 / 2-3	2.9 / 4.813 / 3.667		
Suspension / steering / brakes			
Type and design of front-axle suspension	McPherson struts, front		
Type and design of rear-axle suspension	4-link rear axle		
Steering	Electromechanical steering with speed-dependent power assistance		
Steering ratio	14.8		
Turning circle in m (ft)	11.8 (38.7)		
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist		
Tires (basic)	215/65 R 17		
Wheels (basic)	Alloy 7 J x 17"		
Performance / acoustics			
Top speed in km/h (mph)	205 (127.4)		
Limited	no		
Acceleration, 0-100 km/h (0-62.1 mph)	9.4		
Fuel type / octane value	Diesel / -		
Fuel standard	DIN EN 590 (Diesel)		
Exterior noise level when stationary / drive-past as per ECE R51.03 in dB (A)	71.9 / 68		

Consumption / emissions*	
Fuel consumption, urban / extra-urban / combined in l/100 km (US mpg)	5.8 - 5.6 (40.6 - 42.0) / 4.8 - 4.4 (49.0 - 53.5) / 5.2 - 4.8 (45.2 - 49.0)
CO ₂ emissions combined in g/km (g/mi)	136 - 128 (218.9 - 206.0)
Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	17 / 20 / 21
Weights / loads	
Unladen weight without driver / with driver in kg (lb)	1660 (3659.7) / 1735 (3825.0)
Gross weight limit min. / max. in kg (lb)	2205 (4861.2) / 2250 (4960.4)
Front axle load limit in kg (lb)	1180 (2601.5)
Rear axle load limit min. / max. in kg (lb)	1080 (2381.0) / 1150 (2535.3)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	2200 (4850.2) / 2200 (4850.2) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	75 (165.3) / 90 (198.4)
Capacities	
Cooling system capacity (incl. heating) in l (US gal)	13.2 (3.5)
Engine oil capacity, including filter (change volume) in l (US qt)	5.5 (5.8)
Fuel tank capacity in l (US gal)	58 (15.3)
AdBlue fuel tank capacity in l (US gal)	18 (4.8)
Dimensions / body	
Body type / number of doors	- / 5
Number of seats	5
Drag coefficient Cd / frontal area A in m ² (sq ft)	0.32 / 2.44 (26.3)
Standard dimensions (length / width excluding mirrors / height with steel springs) in mm (ft)	4484 (14.7) / 1849 (6.1) / 1616 (5.3)
Width including mirrors in mm (ft)	2024 (6.6)
Wheelbase / track width front/rear in mm (ft)	2680 (8.8) / 1584 (5.20) / 1576 (5.17)
Overhang angle of steel springs, front / rear in degrees	18.80 / 16.20
Height of loading edge with steel springs in mm (ft)	748 (2.5)
Open luggage compartment - behind the 2 nd seat row in l (cu ft)	530 (18.7) / -
Largest luggage compartment capacity - behind the 1 st seat row in l (cu ft)	1525 (53.9)

*Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used