

Technical Data	Audi Q2 30 TFSI (85 kW)
Program for Germany	Status: 12/07/2018
Engine / electrics	
Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, continuous intake and exhaust camshaft adjustment, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	999 / 74.5 x 76.4 / 10.5
Max. power output in kW (hp) / at rpm	85 (116) / 5000 - 5500
Max. torque in Nm (lb-ft) / at rpm	200 (147.5) / 2000 - 3500
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler
Exhaust emission control	Catalytic converter, oxygen sensor
Emissions standard	EU6
Start-stop / REM	yes / yes
Battery in A / Ah	320 / 59
Max. electrical output at 12V in kilowatts	1.3
On-board voltage 1 in volts	12
On-board voltage 2 in volts	-
Drivetrain / transmission	
Drive type	Front-wheel drive
Clutch	Hydraulically actuated dry clutch, asbestos/lead-free linings, dual-mass flywheel
Transmission type	6-speed manual transmission / manual
Transmission ratio in 1st/2nd gear	3.769 / 1.955
Transmission ratio in 3rd/4th gear	1.281 / 0.973
Transmission ratio in 5th/6th gear	0.788 / 0.642
Reverse gear ratio / final drive ratio 1-2	3.182 / 4.353
Suspension / steering / brakes	
Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	Compound link rear suspension
Steering	Electromechanical steering with speed-dependent power assistance
Turning circle / turning circle optional in m (ft)	11.1 (36.4) / -
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist
Tires (basic)	205/60 R 16 92 V
Wheels (basic)	Steel 6.0Jx16"
Performance / acoustics	
Top speed in km/h (mph)	197 (122.4)
Acceleration, 0-100 km/h (0-62.1 mph)	10.1
Fuel type / octane value	Gasoline / 95
Fuel standard	RON 95
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in db (A)	70.0 / 67 / 66

Consumption / emissions*	
Fuel consumption, urban / extra-urban / combined in liters per 100 kilometers (<i>US mpg</i>)	6.3-6.1 (37.3-38.6) / 4.9-4.8 (48.0-49.0) / 5.4-5.2 (43.6-45.2)
CO ₂ emissions combined in grams per kilometer (<i>g/mi</i>)	122-119 (196.3-191.5)
Servicing / guarantee (Germany)	
Service interval (<i>mi</i>)	30,000 km (18,641.1) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	16 / 19 / 21
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (<i>lb</i>)	1225 (2700.7) / 1300 (2866.0) / 1800 (3968.3)
Front/rear axle load limit in kg (<i>lb</i>)	940 (2072.3) / -
Rear axle load limit min. / max. in kg (<i>lb</i>)	900 (1984.2) / 920 (2028.3)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (<i>lb</i>)	1500 (3306.9) / 1300 (2866.0) // 650 (1433.0)
Roof load limit / permissible nose weight in kg (<i>lb</i>)	60 (132.3) / 75 (165.3)
Capacities	
Cooling system capacity (incl. heating) in liters (<i>US gal</i>)	10.6 (2.8)
Engine oil capacity, including filter (change volume) in liters (<i>US qt</i>)	4 (4.2)
Fuel tank capacity in liters (<i>US gal</i>)	50 (13.2)
Dimensions / body	
Body type / number of doors	- / 5
Number of seats	5
Standard dimensions (length / width excluding mirrors / height with steel springs / height with air springs) in mm (<i>ft</i>)	4191 (13.7) / 1794 (5.9) / 1538 (5.0) / -
Width including mirrors in mm (<i>ft</i>)	2009 (6.6)
Wheelbase / track width front/rear in mm (<i>ft</i>)	2601 (8.5) / 1547 (5.08) / 1541 (5.06)
Height of loading edge with steel springs / air springs in mm (<i>ft</i>)	740 (2.4) / -

* Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used