

<b>Technical Data</b>		<b>Audi Q2 35 TFSI (110 kW)</b>	
<b>Program for Germany</b>		Status: 09/21/2020	
<b>Engine / electrics</b>			
Engine type	Inline 4-cylinder engine		
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder		
Displacement in cc / bore x stroke in mm / compression	1498 / 74.5 x 85.9 / 10.5		
Max. power output in kW (PS) / rpm	110 (150) / 5000 - 6000		
Max. torque in Nm ( <i>lb-ft</i> ) / at rpm	250 (184.4) / 1500 - 3500		
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler		
Exhaust emission control	Catalytic converter, oxygen sensor, gasoline particulate filter		
Emissions standard	EU6		
Start-stop / REM	yes / yes		
Battery in A / Ah	320 / 59		
Max. electrical output at 12V in kilowatts	1.3		
On-board voltage 1 in volts	12		
<b>Drivetrain / transmission</b>			
Drive type	Front-wheel drive		
Clutch	Hydraulically actuated dry clutch, asbestos/lead-free linings, dual-mass flywheel		
Transmission type	6-speed manual gearbox		
Transmission ratio in 1st/2nd gear	3.750 / 1.952		
Transmission ratio in 3rd/4th gear	1.200 / 0.925		
Transmission ratio in 5th/6th gear	0.767 / 0.652		
Reverse gear ratio / final drive ratio 1-2 / 2-3	3.583 / 3.944 / 3.944		
<b>Suspension / steering / brakes</b>			
Type and design of front-axle suspension	McPherson struts, front		
Type and design of rear-axle suspension	Torsion-beam rear axle		
Steering	Electromechanical progressive steering with speed-dependent power assistance		
Steering ratio	14.1		
Turning circle in m ( <i>ft</i> )	11.1 (36.4)		
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist		
Tires (basic)	205/60 R 16 92 V		
Wheels (basic)	Steel 6 J x 16"		
<b>Performance / acoustics</b>			
Top speed in km/h ( <i>mph</i> )	218 (135.5)		
Limited	no		
Acceleration, 0-100 km/h ( <i>0-62.1 mph</i> )	8.6		
Fuel type / octane value	Gasoline / 95		
Fuel standard	DIN EN 228 (gasoline)		
Exterior noise level when stationary / drive-past as per ECE R51.03 in dB (A)	79.0 / 67		

<b>Consumption / emissions*</b>	
Fuel consumption, urban / extra-urban / combined in liters per 100 kilometers ( <i>US mpg</i> )	6.3 - 6.2 (37.3 - 37.9) / 4.9 - 4.5 (48.0 - 52.3) / 5.4 - 5.1 (43.6 - 46.1)
CO <sub>2</sub> emissions combined in grams per kilometer ( <i>g/mi</i> )	124 - 117 (199.6 - 188.3)
<b>Servicing / guarantee (Germany)</b>	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	14 / 18 / 21
<b>Weights / loads</b>	
Unladen weight without driver / with driver / gross weight limit in kg ( <i>lb</i> )	1290 (2844.0) / 1365 (3009.3) / 1855 (4089.6)
Front/rear axle load limit in kg ( <i>lb</i> )	985 (2171.6) / 945 (2083.4)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg ( <i>lb</i> )	1700 (3747.9) / 1500 (3306.9) // 680 (1499.1)
Roof load limit / permissible nose weight in kg ( <i>lb</i> )	60 (132.3) / 75 (165.3)
<b>Capacities</b>	
Cooling system capacity (incl. heating) in liters ( <i>US gal</i> )	11.2 (3.0)
Engine oil capacity, including filter (change volume) in liters ( <i>US qt</i> )	4.3 (4.5)
Fuel tank capacity in liters ( <i>US gal</i> )	50 (13.2)
<b>Dimensions / body</b>	
Body type / number of doors	Unitary steel / 5
Number of seats	5
Drag coefficient Cd / frontal area A in m <sup>2</sup> ( <i>sq ft</i> )	0.31 / 2.29 (24.6)
Standard dimensions (length / width excluding mirrors / height with steel springs / height with air springs) in mm ( <i>ft</i> )	4208 (13.8) / 1794 (5.9) / 1537 (5.0) / not available
Width including mirrors in mm ( <i>ft</i> )	2009 (6.6)
Wheelbase / track width front/rear in mm ( <i>ft</i> )	2601 (8.5) / 1546 (5.07) / 1542 (5.06)
Height of loading edge with steel springs / air springs in mm ( <i>ft</i> )	740 (2.4) / -
Luggage capacity behind 2nd seat bench, open / closed in l ( <i>cu ft</i> )	405 (14.3) / -
Largest luggage compartment capacity - behind the 1st seat row in l ( <i>cu ft</i> )	1050 (37.1)

\*Fuel consumption and CO<sub>2</sub> emission figures given in ranges depend on the tires/wheels used