

Technical Data		Audi S5 Coupé TDI tiptronic 251 kW	
Program for Germany		Status: 12/13/2021	
Engine / electrics			
Engine type	V6 engine		
Valve gear / number of valves per cylinder	Roller cam follower, overhead camshafts, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder		
Displacement in cc / bore x stroke in mm / compression	2967 / 83.0 x 91.4 / 16.3		
Max. power output in kW (PS) / rpm	251 (341) / 3800 - 3950		
Max. torque in Nm (<i>lb-ft</i>) / at rpm	700 (516.3) / 1750 - 3250		
Mixture preparation	Common rail fuel injection system, intercooler		
Exhaust emission control	Oxidizing catalytic converter, diesel particulate filter, exhaust gas recirculation, SCR catalytic converter		
Emissions standard	Euro 6d-ISC-FCM		
Start-stop / Recuperation management	yes / yes		
Battery in A / Ah	380 / 68		
Max. electrical output at 12V in kilowatts	3		
On-board voltage 1 in volts	12		
On-board voltage 2 in volts	48		
Drivetrain / transmission			
Drive type	quattro permanent all-wheel drive		
Type of center differential	Self-locking		
Type of rear axle differential	Standard		
Clutch	Hydraulic torque converter with lock-up clutch		
Transmission type	8-speed tiptronic		
Transmission ratio in 1st/2nd gear	5.000 / 3.200		
Transmission ratio in 3rd/4th gear	2.143 / 1.720		
Transmission ratio in 5th/6th gear	1.313 / 1.000		
Transmission ratio in 7th/8th gear	0.823 / 0.640		
Reverse gear ratio / final drive ratio 1-2	3.478 / 2.411		
Suspension / steering / brakes			
Type and design of front-axle suspension	5-link front axle; tubular anti-roll bar		
Type and design of rear-axle suspension	5-link rear axle; tubular anti-roll bar		
Steering	Electromechanical steering with speed-dependent power assistance		
Steering ratio	15.9		
Turning circle in m (<i>ft</i>)	11.5 (37.7)		
Brake control system	Dual-circuit brake system with black/white split for front/rear axles; ESC/ABS/EBD; brake booster, hydraulic brake assist		
Tires (basic)	245/40 R 18		
Wheels (basic)	Alloy 8.5 J x 18"		
Performance / acoustics			
Top speed in km/h (<i>mph</i>)	250 (155.3)		
Limited	yes		
Acceleration, 0-100 km/h (0-62.1 <i>mph</i>)	4.6		
Fuel type / octane value	Diesel / -		
Fuel standard	DIN EN 590 (diesel)		
Exterior noise level when stationary / drive-past as per ECE R51.03 in dB (A)	85.0 / 70		

Consumption / emissions*	
Fuel consumption, urban / extra-urban / combined in l/100 km (US mpg)	8.2 (28.7) / 5.4 - 5.3 (43.6 - 44.4) / 6.4 - 6.3 (36.8 - 37.3)
CO ₂ emissions, combined in g/km (g/mi)	168 - 167 (270.4 - 268.8)
Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	17 / 26 / 27
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (lb)	1785 (3935.3) / 1860 (4100.6) / 2270 (5004.5)
Front/rear axle load limit in kg (lb)	1225 (2700.7) / 1165 (2568.4)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	2100 (4629.7) / 1900 (4188.8) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	75 (165.3) / 80 (176.4)
Capacities	
Cooling system capacity (incl. heating) in l (US gal)	15.5 (4.1)
Engine oil capacity, including filter (change volume) in l (US qt)	6.1 (6.4)
Fuel tank capacity in l (US gal)	58 (15.3)
AdBlue fuel tank capacity / AdBlue optional fuel tank capacity in l (US gal)	12 (3.2) / 24 (6.3)
Dimensions / body	
Body type / number of doors	Unitary steel/aluminum composite construction / 2
Number of seats	4
Drag coefficient Cd / frontal area A in m ² (sq ft)	0.28 / 2.14 (23.0)
Standard dimensions (length / width excluding mirrors / height with steel springs) in mm (ft)	4705 (15.4) / 1846 (6.1) / 1368 (4.5)
Width including mirrors in mm (ft)	2029 (6.7)
Wheelbase / track width front/rear in mm (ft)	2765 (9.1) / 1587 (5.2) / 1568 (5.1)
Overhang angle of steel springs, front / rear in degrees	13.10 / 12.70
Height of loading edge with steel springs in mm (ft)	666 (2.2)
Open luggage compartment - behind the 2nd seat row in l (cu ft)	410 (14.5)

*Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used