

Technical Data		Audi A4 Avant 35 TFSI S tronic 110 kW	
Program for Germany		Status: 07/19/2021	
Engine / electrics			
Engine type		Inline 4-cylinder engine	
Valve gear / number of valves per cylinder		Roller cam follower, continuous intake and exhaust camshaft adjustment, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder	
Displacement in cc / bore x stroke in mm / compression		1984 / 82.5 x 92.8 / 12.2	
Max. power output in kW (PS) / rpm		110 (150) / 4000 - 6000	
Max. torque in Nm (lb-ft) / at rpm		270 (199.1) / 1300 - 3850	
Mixture preparation		Direct injection, lambda control, knock control, turbocharger, intercooler	
Exhaust emission control		Catalytic converter, oxygen sensor, gasoline particulate filter	
Emissions standard		Euro 6d-ISC-FCM	
Start-stop / Recuperation management		yes / yes	
Battery in A / Ah		380 / 68	
Max. electrical output at 12V in kilowatts		3.1	
On-board voltage 1 in volts		12	
Drivetrain / transmission			
Drive type		Front-wheel drive	
Clutch		Dual clutch	
Transmission type		7-speed S tronic	
Transmission ratio in 1st / 2nd gear		3.188 / 2.190	
Transmission ratio in 3rd / 4th gear		1.517 / 1.057	
Transmission ratio in 5th / 6th gear		0.738 / 0.557	
Transmission ratio in 7th / 8th gear		0.433 / -	
Reverse gear ratio / final drive ratio 1-2		2.75 / 4.234	
Suspension / steering / brakes			
Type and design of front-axle suspension		5-link front axle; tubular anti-roll bar	
Type and design of rear-axle suspension		5-link rear axle; tubular anti-roll bar	
Steering		Electromechanical steering with speed-dependent power assistance	
Steering ratio		15.9	
Turning circle in m (ft)		11.6 (38.1)	
Brake control system		Dual-circuit brake system with black/white split for front/rear axles; ESC/ABS/EBD; brake booster, hydraulic brake assist	
Tires (basic)		205/60 R 16	
Wheels (basic)		Alloy 7.0 J x 16"	
Performance / acoustics			
Top speed in km/h (mph)		210 (130.5)	
Limited		yes	
Acceleration, 0-100 km/h (0-62.1 mph)		9.2	
Fuel type / octane value		Gasoline / 95	
Fuel standard		DIN EN 228 (gasoline)	
Exterior noise level when stationary / drive-past as per ECE R51.03 in dB (A)		70.7 / 69	

Consumption / emissions*	
Fuel consumption, urban / extra-urban / combined in l/100 km (US mpg)	7.3 - 7.1 (32.2 - 33.1) / 5.1 - 4.7 (46.1 - 50.0) / 5.9 - 5.6 (39.9 - 42.0)
CO ₂ emissions combined in g/km (g/mi)	137 - 129 (217.3 - 204.4)
Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	13 / 21 / 21
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (lb)	1520 (3351.0) / 1595 (3516.4) / 2115 (4662.8)
Front/rear axle load limit in kg (lb)	1065 (2347.9) / 1150 (2535.3)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	1700 (3747.9) / 1500 (3306.9) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	90 (198.4) / 80 (176.4)
Capacities	
Cooling system capacity (incl. heating) in l (US gal)	8 (2.1)
Engine oil capacity, including filter (change volume) in l (US qt)	5.2 (5.5)
Fuel tank capacity in l (US gal)	54 (14.3)
Dimensions / body	
Body type / number of doors	Unitary steel/aluminum composite construction / 5
Number of seats	5
Drag coefficient Cd / frontal area A in m ² (sq ft)	0.28 / 2.20 (23.7)
Standard dimensions (length / width excluding mirrors / height with steel springs / height with air springs) in mm (ft)	4762 (15.6) / 1847 (6.1) / 1460 (4.8) / -
Width including mirrors in mm (ft)	2022 (6.6)
Wheelbase / track width front/rear in mm (ft)	2820 (9.3) / 1572 (5.2) / 1555 (5.1)
Overhang angle of steel springs, front / rear in degrees	12.50 / 15.30
Height of loading edge with steel springs / air springs in mm (ft)	630 (2.1) / -
Luggage capacity behind 2nd seat bench, open / closed in l (cu ft)	495 (17.5) / -
Largest luggage compartment capacity - behind the 1st seat row in l (cu ft)	1495 (52.8)

*Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used