

Technical Data	Audi A4 Sedan 35 TFSI 110 kW
Program for Germany	Status: 07/21/2021
<b>Engine / electrics</b>	
Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, continuous intake and exhaust camshaft adjustment, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	1984 / 82.5 x 92.8 / 12.2
Max. power output in kW (PS) / rpm	110 (150) / 4000 - 6000
Max. torque in Nm (lb-ft) / at rpm	270 (199.1) / 1300 - 3850
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler
Exhaust emission control	Catalytic converter, oxygen sensor, gasoline particulate filter
Emissions standard	Euro 6d-ISC-FCM
Start-stop / Recuperation management	yes / yes
Battery in A / Ah	380 / 68
Max. electrical output at 12V in kilowatts	3.1
On-board voltage 1 in volts	12
<b>Drivetrain / transmission</b>	
Drive type	Front-wheel drive
Clutch	Hydraulically actuated dry clutch, asbestos/lead-free linings, dual-mass flywheel
Transmission type	6-speed manual transmission
Transmission ratio in 1st/2nd gear	3.778 / 2.045
Transmission ratio in 3rd/4th gear	1.276 / 0.941
Transmission ratio in 5th/6th gear	0.784 / 0.667
Transmission ratio in 7th/8th gear	-
Reverse gear ratio / final drive ratio 1-2 / 2-3	3.333 / 2.5 / 1.364
<b>Suspension / steering / brakes</b>	
Type and design of front-axle suspension	5-link front suspension; tubular anti-roll bar
Type and design of rear-axle suspension	5-link rear suspension; tubular anti-roll bar
Steering	Electromechanical steering with speed-dependent power assistance
Steering ratio	15.9
Turning circle in m (ft)	11.6 (38.1)
Brake control system	Dual-circuit brake system with black/white split for front/rear axles; ESC/ABS/EBD; brake booster, hydraulic brake assist
Tires (basic)	205/60 R 16
Wheels (basic)	Alloy 7.0 J x 16
<b>Performance / acoustics</b>	
Top speed in km/h (mph)	210 (130.5)
Limited	yes
Acceleration, 0-100 km/h (0-62.1 mph)	8.6
Fuel type / octane value	Gasoline / 95
Fuel standard	DIN EN 228 (gasoline)
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in dB (A)	70.3 / - / 68

<b>Consumption / emissions*</b>	
Fuel consumption, urban / extra-urban / combined in l/100 km (US mpg)	8.0 - 7.6 (29.4 - 30.9) / 5.0 - 4.6 (47.0 - 51.1) / 6.1 - 5.7 (38.6 - 41.3)
CO <sub>2</sub> emissions combined in g/km (g/mi)	139 - 130 (223.7 - 209.2)
<b>Servicing / guarantee (Germany)</b>	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	17 / 22 / 21
<b>Weights / loads</b>	
Unladen weight without driver / with driver / gross weight limit in kg (lb)	1435 (3163.6) / 1510 (3329.0) / 2005 (4420.3)
Front/rear axle load limit in kg (lb)	1035 (2281.8) / 1065 (2347.9)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (lb)	1600 (3527.4) / 1400 (3086.5) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (lb)	90 (198.4) / 80 (176.4)
<b>Capacities</b>	
Cooling system capacity (incl. heating) in liters (US gal)	7.6 (2.0)
Engine oil capacity, including filter (change volume) in liters (US qt)	5.2 (5.5)
Fuel tank capacity in liters (US gal)	54 (14.3)
<b>Dimensions / body</b>	
Body type / number of doors	Unitary steel/aluminum composite construction / 4
Number of seats	5
Drag coefficient Cd / frontal area A in m <sup>2</sup> (sq ft)	0.25 / 2.20 (23.7)
Standard dimensions (length / width excluding mirrors / height with steel springs / height with air springs) in mm (ft)	4762 (15.6) / 1847 (6.1) / 1431 (4.7) / -
Width including mirrors in mm (ft)	2022 (6.6)
Wheelbase / track width front/rear in mm (ft)	2820 (9.3) / 1572 (5.2) / 1555 (5.1)
Overhang angle of steel springs, front / rear in degrees	12.50 / 15.30
Height of loading edge with steel springs / air springs in mm (ft)	684 (2.2) / -
Luggage capacity behind 2nd seat bench, open / closed in l (cu ft)	- / 460 (16.2)

\*Fuel consumption and CO<sub>2</sub> emission figures given in ranges depend on the tires/wheels used