

Technical Data	Audi Q2 40 TFSI quattro S tronic (140 kW)
Program for Germany	Status: 09/24/2019
Engine / electrics	
Engine type	Inline 4-cylinder engine
Valve gear / number of valves per cylinder	Roller cam follower, continuous intake and exhaust camshaft adjustment, hydraulic valve-play compensation / 2/2 inlet/exhaust valves per cylinder
Displacement in cc / bore x stroke in mm / compression	1984 / 85.5 x 92.8 / 11.7
Max. power output in kW (hp) / rpm	140 (190) / 4200 - 6000
Max. torque in Nm (lb-ft) / at rpm	320 (236.0) / 1500 - 4100
Mixture preparation	Direct injection, lambda control, knock control, turbocharger, intercooler
Exhaust emission control	Catalytic converter, oxygen sensor, gasoline particulate filter
Emissions standard	EU6
Start-stop / REM	yes / yes
Battery in A / Ah	320 / 59
Max. electrical output at 12V in kilowatts	1.6
On-board voltage 1 in volts	12
On-board voltage 2 in volts	-
Drivetrain / transmission	
Drive type	quattro permanent all-wheel drive
Type of center differential	Electronically controlled multi-plate clutch
Clutch	Dual clutch
Transmission type	7-speed S tronic
Transmission ratio in 1st/2nd gear	3.400 / 2.750
Transmission ratio in 3rd/4th gear	1.767 / 0.925
Transmission ratio in 5th/6th gear	0.705 / 0.755
Transmission ratio in 7th/8th gear	0.635 / -
Reverse gear ratio / final drive ratio 1-2	2.900 / 4.471
Suspension / steering / brakes	
Type and design of front-axle suspension	McPherson struts, front
Type and design of rear-axle suspension	Four-link rear suspension
Steering	Electromechanical steering with speed-dependent power assistance
Turning circle / turning circle optional in m (ft)	11.1 (36.4) / -
Brake control system	Dual-circuit brake system with diagonal split, ESC/ABS/EBD, brake booster, hydraulic brake assist
Basic tires, front axle	205/60 R 16 92 V
Wheels, rear axle	Steel 6.0Jx16"
Performance / acoustics	
Top speed in km/h (mph)	228 (141.7)
Acceleration, 0-100 km/h (0-62.1 mph)	6.5
Fuel type / octane value	Gasoline / 95
Exterior noise level when stationary / drive-past as per ECE R51.02 / drive-past as per ECE R51.03 in dB (A)	73.4 / 67 / 67

Consumption / emissions*	
Fuel consumption, urban / extra-urban / combined in liters per 100 kilometers (<i>US mpg</i>)	8.5-8.4 (27.7-28.0) / 5.5-5.3 (42.8-44.4) / 6.6-6.4 (35.6-36.8)
CO ₂ emissions combined in grams per kilometer (<i>g/mi</i>)	150-146 (241.4-235.0)
Servicing / guarantee (Germany)	
Service interval	30,000 km (18,641.1 mi) / 2 years, whichever comes first
Vehicle / paint / rust perforation guarantee	2 / 3 / 12 (years)
Insurance classification in Germany: third party / fully comprehensive / part-comprehensive	14 / 18 / 19
Weights / loads	
Unladen weight without driver / with driver / gross weight limit in kg (<i>lb</i>)	1430 (3152.6) / 1505 (3318.0) / 2045 (4508.5)
Front/rear axle load limit in kg (<i>lb</i>)	1100 (3425.1) / 1020 (2248.7)
Trailer load limit on 8% / 12% gradient, braked // unbraked in kg (<i>lb</i>)	1700 (3747.9) / 1500 (3306.9) // 750 (1653.5)
Roof load limit / permissible nose weight in kg (<i>lb</i>)	60 (132.3) / 75 (165.3)
Capacities	
Cooling system capacity (incl. heating) in liters (<i>US gal</i>)	9.3 (2.5)
Engine oil capacity, including filter (change volume) in liters (<i>US qt</i>)	6.6 (7.0)
Fuel tank capacity in liters (<i>US gal</i>)	55 (14.5)
Dimensions / body	
Body type / number of doors	Unitary steel / 5
Number of seats	5
Drag coefficient Cd / frontal area A in m ² (<i>sq ft</i>)	0.32 / 2.29 (24.6)
Standard dimensions (length / width excluding mirrors / height with steel springs / height with air springs) in mm (<i>ft</i>)	4191 (13.7) / 1794 (5.9) / 1538 (5.0) / n.a.
Width including mirrors in mm (<i>ft</i>)	2009 (6.6)
Wheelbase / track width front/rear in mm (<i>ft</i>)	2595 (8.5) / 1547 (5.08) / 1551 (5.09)
Height of loading edge with steel springs / air springs in mm (<i>ft</i>)	740 (2.4) / n.a.
Luggage capacity behind 2nd seat bench, open / closed in l (<i>cu ft</i>)	355 (12.5) / n.a.
Largest luggage compartment capacity - behind the 1st seat row in l (<i>cu ft</i>)	1000 (35.3)
Open luggage compartment - behind the 2nd seat row in l (<i>cu ft</i>)	355 (12.5)

* Fuel consumption and CO₂ emission figures given in ranges depend on the tires/wheels used